


WMF 9000 S+

GOURMET COFFEE SPECIALITIES, INDIVIDUALLY SERVED TO PERFECTION.



Contents

WMF 9000 S+

Features & Innovations

Technical Data Overview

22 WMF Services

24 Accessory Equipment

26 WMF PhotoSimu App

Contact Details

4

20

28

WMF 9000 S+ GOURMET COFFE

GOURMET COFFEE SPECIALITIES, INDIVIDUALLY SERVED TO PERFECTION.

"My clients have high standards, and we aim to satisfy their individual tastes when it comes to coffee, too. The WMF 9000 S+ exceeds every expectation, rapidly and dependably. For me, it's the creative solution, not to mention an excellent investment."

Designed to delight discerning coffee Dynamic Milk system is fitted as standthe unrivalled standard of coffee, the at the desired pace.

enthusiasts, the WMF 9000 S+ prom- ard, automatically dispensing delicious ises top-of-the-range performance in hot and cold milk and allowing staff to venues where an imaginative menu get artistic with different consistencies of gourmet coffee specialities is re- of hot or cold milk foam to suit every guired, and rapid service is expected. It's taste. Recommended for venues with equipped with up to four hoppers plus a an average requirement of 350 cups manual insert, and up to four grinders. per day, the WMF 9000 S+ brews each You can even blend different types and beverage to its own ideal temperature, amounts of beans to your own recipes, including three different options for hot ready to impress coffee connoisseurs. water. Furthermore the machine auto-Alternatively, one or two hoppers can be matically raises or lowers the cup table dedicated to chocolate powder or other to the correct hight. With such impectoppings to create an inventive choice cable attention to detail, you just know of alternative beverages. To complement it will serve every beverage to perfection



Features & Innovations

FOR WMF CUSTOMERS, THE FUTURE COMES AS STANDARD.

Offering the perfect combination of high speed, outstanding quality and exceptional variety, the WMF 9000 S+ is the flagship product in the WMF range. Its extensive list of premium features and technological innovations marks it out as a virtuoso performer.

The WMF 9000 S+ stands out among standing quality, choice and creativity erence with unrivalled speed. The out- ity and variety.

professional coffee machines for its un- it offers gourmet coffee lovers is made precedented ability to cater creatively possible by its high-grade components, to the demanding tastes of true coffee robust build quality and wide range of connoisseurs, satisfying every customer advanced functions and options, which requirement and every consumer pref- ensure consistently high beverage qual-



Performance

DELIVERING A PREMIUM COFFEE EXPERIENCE




HEAVY-DUTY BREWER

The heavy-duty, stainless steel brewer is made with hardwearing components to guarantee high performance and maximum reliability over many years. Its design features a robust, die-forged frame and a fine sieve, while its 19 g capacity permits larger batches for faster brewing. Permanently installed in the machine, it requires no additional cleaning.

HIGH OUTPUT

Recommended for venues with an average daily requirement of 350 cups, the WMF 9000 S+ makes premium coffee specialities fast. So you can be confident that everyone will be served promptly, even in high-volume situations.





......



.

ECO MODE

This energy-saving mode reduces the steam boiler temperature if no beverage is dispensed for 10 minutes, and therefore also reduces energy usage. When next needed, it only takes 15 seconds to heat up again.

PARALLEL COFFEE AND HOT WATER PREPARATION

To let you keep pace with high demand even at peak times, the WMF 9000 S+ allows you to simultaneously dispense coffee and hot water, while also using the steam lance if required, saving precious time. This is made possible by an optimised boiler.

FEATURES & INNOVATIONS

UP TO 4 COFFEE GRINDERS

With the opportunity to use up to four grinders per recipe, and set different ground coffee proportions, the WMF 9000 S+ lets you create your own speciality blends. The innovative, electronically controlled, high-performance grinders are finely tuned and robustly built for a long service life, as well as being quick and remarkably quiet.



WMF 9000 S+

Versatility





DYNAMIC MILK SYSTEM

WMF's Dynamic Milk system makes it possible to automatically produce 4 different consistencies of hot milk foam and 3 variations of cold milk foam, individually setting the ideal density for each beverage, as well as dispensing hot and cold milk.

2-MILK SOLUTION

Thanks to the optional 2-milk solution, you can offer two different types of milk, for example giving your customers the choice of low-fat, soya or low-inlactose milk. Only the selected milk type is used to prepare the beverage.



MANUAL INSERT OF FURTHER COFFEE TYPES

The handy manual insert gives you the the opportunity to use a different kind of ground coffee for a particular beverage, for example for preparing decaffeinated espresso.

UP TO 4 BEAN HOPPERS

The hoppers of the WMF 9000 S+ offer you a choice of up to 4 individual varieties of coffee beans - for example espresso and café crème beans in both caffeinated and decaffeinated versions, or 3 different varieties plus chocolate powder, or 2 different kinds of coffee and 2 powders. Machines equipped with two grinders and powder hoppers also provide the option of using the manual insert.



CHOC MIXER

Designed to offer delicious chocolate specialities with minimum effort, the Choc Mixer promises easy handling and maintenance, thanks to a magnetic lock that guarantees correct insertion of the mixer bowl. Moreover, it is protected against damage by an integrated sensor that monitors the mixer wheel to ensure a perfect fit.

FEATURES & INNOVATIONS





SYRUP STATION

For even greater choice and indulgence, the optional Syrup Station lets you create exciting additional flavours using up to four different kinds of syrup or spirits.

Quality ENGINEERED FOR CONSISTENT **-ECTION**



STEAM SYSTEM

WMF steam systems allow any user achieve perfect hot milk and foam results. Easy Steam uses a semi-automatic steam lance that switches off on reaching the prescribed temperature to make traditional milk frothing much easier. Auto Steam, with its separate steam lance, lets you adapt milk foam density for each individual coffee creation, and produces three different types of milk foam completely automatically.

.....

1111111

...... -----



HEIGHT-ADJUSTING CUP TABLE


The cup table automatically moves upwards towards the fixed spout depending on the beverage and setting, ensuring perfect clearance for any type of cup. So beverage temperature remains perfect, and unsightly splashes of milk are eliminated.

HIGH-GRADE METAL COMPONENTS

The stainless steel housing of the WMF 9000 S+ not only makes an excellent visual impression; it is also built to last. Like the heavy-duty brewer and high-performance coffee grinder burrs, they are made to the highest standards at WMF's factory in Germany, to ensure a long service life for your coffee machine.

HOT WATER REGULATION

With three different water temperatures of hot water to choose from, you can rest assured that the WMF 9000 S+ will serve every hot water-based beverage your customers request, like black or green tea, at its ideal temperature.




STEAM JET

Featuring advanced WMF technology, the practical SteamJet takes just a few seconds to warm every cup at a touch using natural steam. So every drink is not only served at the ideal temperature but also remains hot for longer, for true coffee perfection.



FEATURES & INNOVATIONS



DYNAMIC MILK ASSIST

Innovative Dynamic Milk Assist technology ensures consistent milk foam quality by constantly monitoring the milk flow in the machine and the temperature in the milk cooler, automatically adjusting factors like the pump speed as required. It also protects the milk foamer.

DYNAMIC COFFEE ASSIST

In the pursuit of the consistently top quality coffee that you want to offer your customers in every cup, we have designed a series of self-regulating technologies that allow the WMF 9000 S+ to monitor itself and make its own technical adjustments as required. The innovative Dynamic Coffee Assist system continuously measures the brew flow, automatically adjusting the most important factors for coffee quality, like grinding degree and grind quantity. This way, extraction time remains stable, ensuring that every espresso-based beverage is just as delicious as the last - constantly.

Usability

ALL THE FUNCTIONS YOU NEED AT YOUR FINGERTIPS



10" COLOUR TOUCH DISPLAY

The WMF 9000 S+ immediately invites interaction with its attractive 10" colour touch display, featuring realistic product depictions and individual colour worlds. Navigation is intuitive, using familiar touch and swipe menus, with both served and self-service modes available. Perfect for presenting nutritional information, the display can also be used to show advertising images and videos, for example to promote special offers at certain times of day.

CLEANING SYSTEM

......

The fully automatic Clean in Place system uses a special cleaning box and soluble tablets. After connecting the cleaning box to the machine, it dispenses water into the box, then cleans and rinses the machine automatically with the cleaning solution and steam. With no manual cleaning required except occasional removal of the spout silicon, it's the ultimate in user-friendly efficiency.



LANGUAGE SELECTION

The language used on the display of the WMF 9000 S+ can be selected to make it easy for anyone to operate. Customers and staff can even select their own language during operation.

FEATURES & INNOVATIONS



TIMER FUNCTIONS

The WMF 9000 S+ can be set to turn itself on and off, or activate and deactivate certain functions and beverages, whenever you want. Different displays can be pre-installed and set to change via the timer function, for example to update the display from fresh milk to powder milk. This can be useful when moving from daytime to nighttime operation in venues open 24 hours.

BEVERAGE ORDER SETTINGS

To save time and effort, the display includes an option to pre-select multiple beverages in a single order. These beverages are then automatically produced one after the other. All personnel have to do is place the right cup under the spout.

Customisation TAILOR YOUR COFFEE MACHINE TO YOUR BUSINESS



ILLUMINATED LED SIDE PANELS

The coloured side panels of the WMF 9000 S+ are illuminated with LED lighting, which can be adjusted to suit your ambience. Moreover, the panels flash when action is required, for example when it is time for a refill. This simple feature quickly attracts the operator's attention, even from a distance.

SELF-SERVICE OPERATION

them child's play to operate.

PRE-SELECT / POST-SELECT MODE

The WMF 9000 S+ is designed to meet Pre-Select mode is ideal for staff, letting The display screen can also show nutrithe needs of all different users, includ- them select the size of the cup, the coffee tional information about each bevering consumers in self-service opera- strength or milk type, then the beverage. age, to comply with regulatory requiretions. The touch screen menus can be The alternative, Post-Select mode, is per- ments. Information about various bean customised for self-service use, and fectly suited to self-service sales: the cus- and powder types is already stored in their simple, intuitive layout makes tomer first selects a beverage and can then the machine, and data on other recipes specify additional parameters step by step. can easily be imported.

NUTRITION FACTS

Today's Special: Cappuccino & Croissant 3.50 Euro

BRANDING

The WMF 9000 S+ is ready to adapt to your requirements in every way. That includes the option of using your own logo on the display screen menus, customising colours and backgrounds, or uploading your own cup and beverage icons and beverage names.

BEVERAGE PARAMETERS SETTINGS

For ease of operation, the helpful "Small-Medium-Large" function lets you preset various desired filling volumes and match them to each beverage. You also have the option to rearrange button layouts, adding and removing buttons. For example, in a self-service environment you might choose a single-row layout.

FEATURES & INNOVATIONS

ADVERTISING

The colourful 10" touch display also offers you opportunities to increase sales through eye-catching advertising or tailored special offers in the form of images or videos. So while your customers' beverages are being prepared, you can take advantage of their time and attention.



INDIVIDUAL BEVERAGE SIZE

To make life even simpler for users, they can customise the filling quantity individually via an easy-touse touch slider before their beverage is dispensed.

Connectivity

COFFEE EXCELLENCE MEETS DIGITAL SOLUTIONS



Entity Management

WMF COFFEE CONNECT

it to increase turnover by sending advertising and special insights into your coffee business.

WMF CoffeeConnect is our pioneering digital cloud platform. offers directly from your desk to the machine's display. It transforms the potential of your coffee machine and any WMF CoffeeConnect offers functions to suit every requireother connected machines, giving them the ability to provide ment in the areas of machine management, maintenance valuable data and receive instructions remotely. By collect- and operation, and business performance. These functions ing, analysing and processing information on sales, opera- are available in the form of either dashboard monitoring tion, consumption and maintenance, WMF CoffeeConnect or reports. Additionally, our experts can create tailor-made gives you the power to optimize processes and reduce ser- analysis according to your needs, allowing you to take advanvice costs. And that's only the beginning. You can also use tage of sophisticated Business Intelligence to gain in-depth

DATA SECURITY

We know that your data is crucial to your business success. That is why the platform we have developed for WMF CoffeeConnect meets state-ofthe-art infrastructure standards. The service offering is protected against cybercrime by a multi-layered IT architecture. We have also implemented a cutting-edge Identity and Access Management system that supports IoT requirements, providing multi-factor and role-based access to data and systems.

......



FEATURES & INNOVATIONS



HACCP COMPLIANCE

All WMF professional coffee machines support HACCP-compliant operation with ease. For example, cleaning records are available to download, complete data backups can be performed, and software updates are available via USB stick.

WMF 9000 S+

Technical Data Overview

ALL THE FACTS AND FIGURES YOU NEED







— 598 mm —

WMF 9000 S+	
Recommended for an average daily requirement of* Nominal power rating / mains power connection	3.4 - 3.8 kW / 220 - 240
Output per hour according to DIN 18873-2 Espresso / 2 espressi Café crème / 2 café crèmes Cappuccino / 2 cappuccinos	5.4 55 km/220 2.4
Hot milk beverages / hot milk foam beverages	
Cold milk beverages / cold milk foam beverages	
Total hot water output / hour	120 cups
Energy loss per day according to DIN 18873-2	
Coffee bean hoppers	Large rear approx.
Choc or topping hopper	
External dimensions (width / height** / depth)	39
Water supply	F
Empty weight (depending on the model)	
Continuous sound pressure level (LpA)***	

Features included in basic model:

Dynamic Milk, Fixed water connection, 1 grinder, Clean in Place, Fully automatic cup tray, Hot water spout, LED illumination, 3.4 - 3.8 kW / 220 - 240 V

Selectable options at an additional charge:

6.0 - 7.0 kW / 380 - 415 V, Easy Steam or Auto Steam, 2-Milk Solution, 2nd grinder (heavy-duty), 3rd grinder, 4th grinder, 1st choc / topping hopper, 2nd choc / topping hopper

TECHNICAL DATA OVERVIEW



DYNAMIC MILK

350 cups				
40 V	6.0 - 7.0 kW / 380 - 410 V			
150 / 24	42 cups			
130 / 152 cups				
150 / 23	38 cups			
١	I			
١	I			
	190 cups			
2.59	kWh			
ox. 1200 g, small front approx. 700 g				
Approx.	1200 g			
390 / 744	/ 598 mm			
Fixed wat	ter supply			
Approx. 67 kg				
< 70 dB(A)				

The WMF 9000 S+ is available with the following milk and steam systems:



*Output is determined using a machine with constant water supply and is dependent on cup size, quality settings, spout, model and nominal power rating. The recommended maximum daily capacity is based on our catalogued service concept. However, these average values serve merely as a guideline. Let our trained WME team match the ideal coffee machine design to your specific needs.

** Height including coffee bean hoppers

*** The A-rated sound pressure level LpA (slow) and LpA (impulse) at operating personnel work stations is under 70 dB(A) in any operating mode. Above 5° dKH (carbonate hardness), a WMF water filter must be fitted.

WMF Services

PROVEN EXCELLENCE AROUND THE GLOBE.

The moment a new WMF coffee machine rolls off the production line is not the end of our commitment to quality. We design and build each machine to be a success from day one. And our extensive, personalized service ensures each one provides a long life of reliable performance.

WMF builds cutting-edge professional That's why your service technician will

Installation

Each machine is installed by a highly fine-tune it to your specific needs, tak- the way to predictive maintenance. ing into account the type of water and inlet, your preferred beans, beverages, Repair and more. Individual training on operanow and over the long term.

Maintenance

guarantee consistently superb coffee. your investment.

coffee machines, and our service quar- check your machine regularly and sysantee ensures they receive state-of-the- tematically, updating the software, and art treatment throughout their working cleaning and descaling when required. lives. Our multinational service packages Our proactive service ensures a long life are customized to your needs, and regu- for your machine, while keeping you lar training at WMF training centres en- compliant with health, safety, securisures know-how is continuously passed ty and environmental regulations. The on to our entire global service network. innovative WMF CoffeeConnect digital platform offers an option for the efficient central management of your machines, allowing you to view service inqualified technician, who knows how to formation anytime, anywhere - paving

In the rare event of a repair becoming tion, cleaning and maintenance ensures necessary, WMF is your ideal partner. your personnel and your machine work We use exclusively original parts, comin perfect harmony. The result is the bining rapid availability with the highbest cup of coffee for your customers, est quality. Our telephone support and experienced technicians will quickly get your machine operational again, so it can continue to deliver outstanding Only a well-maintained machine can coffee quality and excellent returns on



Accessory Equipment

EXTEND AND ENHANCE YOUR WMF COFFEE MACHINE.

Combining elegance and intelligence, each WMF accessory is designed to complement your WMF 9000 S+ perfectly and enhance the experience for operating personnel and coffee consumers alike.

Choose from a range of high-quality WMF accessories to complete your coffee offering. For example, pre-heating cups to the right temperature is crucial for enjoying coffee specialities of the highest quality, while cooling milk to the optimum temperature for conservation is every bit as important. The addition of syrups can offer your customers even more choice, while card readers streamline payment in self-service situations. Naturally, each of these accessories, like all the others in the WMF range, is beautifully coordinated with the design of your coffee machine.



	CUP & COOL, WIDE	SYRUP STATION	CENTER COOLER	CARD READER, NARROW	
Capacity	45 to 130 cups	1 - 4 bottles	-	-	
Removable milk insert	9.5 litres	-	10.5 litres	-	
Illumination (can be set to different colours)	V	-	-	-	
Lockable	1	1	√	-	
Removable seal	1	1	√	-	
Heatable shelves	2, stainless steel	-	-	-	
External dimensions (W / H / D)	368 / 530 / 565 mm	261 / 530.5 / 469 mm	261 / 530.5 / 469 mm	130 / 500 / 350 mm	
Power supply	0.2 kW / 220 - 240 V	-	0.045 kW / 220 - 240 V	-	
Milk empty message	Optional	-	√	-	
Sensors for milk temperature	Optional	-	√	-	
Suitable for self-service	1	1	√	1	
Thermostat	1	-	-	-	
Empty weight	Approx. 32 kg	Approx. 16 kg	Approx. 16 kg	Depending on card reader configuration	
Accepts	-	-	-	Card reader small, for MDB reader only	
Other information	Optional: milk hose conduction at the right or left side is possible, therefore use between two coffee machines is possible.	Always fitted on the right side of the machine.	-	1 coffee machine connected, always fitted on the right of the machine. Card reader is provided by the customer and sent to WMF for installation. Compatibility of the reader must always be checked in advance.	

ACCESSORY EQUIPMENT





WMF PhotoSimu App

VISUALIZE YOUR WMF COFFEE MACHINE IN YOUR BUSINESS.

Want to know what a WMF professional coffee machine would look like in your own place of business? With the WMF PhotoSimu app, you can use your smartphone or tablet to easily project your chosen product configuration in your own business - exactly as it would appear. Just download the app to get started.

are ready to go. Thanks to Augmented app to send us your request. Reality you will see your preferred machine either in a 3D room or in your real iOS environment, photorealistic and true to its actual dimensions and design. The option to add accessories gives you the chance to see the complete solution of coffee machine and equipment in your business - ingeniously easy and intuitive.

Download the app with the help of the Thanks to our new features, you can QR code, scan then the location where now find full product information at a you want to place your machine and you glance and contact us directly via the





WMF PHOTOSIMU APP

Contact Details

GET IN TOUCH TO FIND OUT MOR

SEB PROFESSIONAL BeLux BV Halfstraat 5_18 B-2630 Aartselaar | Belgium

SEB PROFESSIONAL Iberia S.A. Avda. Llano Castellano, 15

+32 828 11 28 sales.belgium@seb-professional.com www.wmf-coffeemachines.com/nl_be

28034 Madrid +91 3341216

E

H

maquinasdecafe@wmf.es www.wmf-coffeemachines.es

G

D

SEB PROFESSIONAL France SARL 13 - 15 Rue Claude Nicolas Ledoux 94000 Créteil

+33 1 49 80 80 10 commercial-fr@seb-professional.com www.wmf-coffeemachines.fr

Κ

+31 20 480 80 85

Avenida Brasil Ciudad de Panama Panama

+507 60171520 COliver@seb-professional.com www.wmf-coffeemachines.com

WMF Austria Langer Weg 28 6020 Innsbruck

B

+43 512 3302 professional-coffeemachines@wmf-group.com gastro@wmf.at www.wmf-kaffeemaschinen.at **C**

WMF in Switzerland Allmendweg 8 4528 Zuchwil

+41 32 681 62 00 vertrieb.schweiz@schaerer.com

J

SEB PROFESSIONAL (Shanghai) Co., Ltd. SEB PROFESSIONAL LATAM & Caribbean SEB PROFESSIONAL North America 1318 North Sichuan Road, ICP, Unit 1101 PH Brazil 405, Oficina 7D 200080 Shanghai

+86 021 2601 6288 coffeemachine@wmf-ap.com www.wmf-coffeemachines.com

28

(A)

WMF Group GmbH

73312 Geislingen/Steige

www.wmf-coffeemachines.com

Eberhardstrasse 35

+49 7331 258 482

CONTACT DETAILS



SEB PROFESSIONAL UK Limited 31 Riverside Way UB8 2YF Uxbridge

+44 1895 816100 sales@wmf.uk.com www.wmf-coffeemachines.uk.com



SEB PROFESSIONAL Nederland B.V. Gyroscoopweg 82-84 1042 AX Amsterdam Showroombezoek op afspraak

business-nl@seb-professional.com www.wmf-coffeemachines.nl

SEB PROFESSIONAL Japan 13F Hamarikyu Parkside Place 5-6-10 Tsukiji, Chuoku Tokyo, 104-0045

+81 3 3541 1941 wmfj@wmf-japan.co.jp www.wmf-japan.co.jp



15501 Red Hill Avenue, Suite 200 Tustin, California 92648


+1 888 496 3435 coffee@wmfnorthamerica.com www.wmf-coffeemachines.us.com

WMF Group GmbH GBU Professional Coffee Machines PCM Eberhardstrasse 35 73312 Geislingen/Steige Germany Phone: +49 73 31 - 258 482 Fax: +49 73 31 - 258 792 professional-coffeemachines@wmf-group.com www.wmf.com

63.8378.0391 All technical changes, typographical mistakes and errors reserved for the entire contents.

Printed in Germany 02.20





4441 June 197 June 19	4 4 17 " SAAAA JA44	1	177777 114444 ⁴⁴		
LACE STATES STATES	AT IT SAAAA	TT LAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	LARD AND LARGET		
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	at the shaded and the	TTT LAAAAA			1 4 7 1 1 1 7 7 7 7 7 7 P
AAAA4444		1 7 7 7 F LAAAAA		TTT SPEEKAA	1477
		TPP PALAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		TTTTT SAAAAA	CTTTT
	TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	7 7 7 F F F F F F F F F F F F F F F F F		TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	
	*****************	TTTPP LAAAAA	TITTICSPALA		
114444411	******************	TTTPP SAAAAAA	TTTTT LAAAAAAAA		LAAAAA
111111111111111111111111111111111111111		TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	****************	A A A A A A A A A A A A A A A A A A A	TTTTTTT
	11111111111111111111111111111111111111	TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT			
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	CTUTTT CARALLA			*****	
	CTITI CARALLACCE			**********************	
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	VT1777777777777777777777777777777777777			**********	I V P P P A A A A
LAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA				THE PROPERTY AND A REAL OF THE PROPERTY AND A REAL	TTTTTTT
LAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA			****************		
***************************************			**************		
	*****			TT	
LIII CARA CARA CARA CARA CARA CARA CARA C					
	1				

				Y > > > > > > > > > > > > > > > > > > >	
		· · · · · · · · · · · · · · · · · · ·	*****	TAR FERRER FE	
ARAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA					
· • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·				



DESIGNED TO PERFORM

wmf.com