

leva x

advanced technologies
combined with traditional ideologies.



Available Configurations: LEVA

Available Number of Groups: 1 | 2 | 3

Featuring eye-catching design and lower profile to invite customer engagement, Leva re-invents the iconic lever machine design with more ergonomic elements. Leva is a cutting-edge café centerpiece that encourages engagement, barista experimentation and coffee

conversations, while delivering the world's best coffee extraction. Leva brings with it design, focusing on the physical beauty only found in a truly mechanical system. The user can intervene in the pre-infusion pressure, shot volume and extraction pressure on each

group. Leva improves temperature stability of the traditional lever machine thanks to smart PID temperature control. Leva's digital displays show real time extraction pressure on the coffee puck, the pre-infusion and extraction time as well as the pressure curve of the shot.

Dual Boilers

Separate boilers optimize espresso brewing and steam production.

Independent Boilers

Separate boilers for each group head allow barista to optimize temperature for individual coffees.

Saturated Groups

Ensure unsurpassed thermal stability, shot after shot.

PID (Steam Boiler)

Allows you to electronically control steam boiler temperature.

Smart PID (Coffee Boiler)

An advanced PID control greatly improves the machine's temperature stability.

Water Reservoir - 1 Group only

A self-contained 2 liter water tank makes plumbing optional.

Insulated Boilers

Reduce energy consumption while contributing to temperature stability.

Live Pressure Visualization

Live visualization of pre-infusion pressure, extraction pressure, and time throughout the course of the shot.

Graphic Display

Intuitive programming makes it easy to adjust machine parameters.

Pro Touch Steam Wands

High performing steam wands that are cool to the touch.

Military-Grade Steam Potentiometer

Proportional steam valves facilitates machine usability and maintenance while improving its durability.

Internal Pump - 1 Group only

Self-contained pump without compromising performance.

Adjustable Drip Tray - 2 and 3 Groups

Allows you to use the machine with tall, to-go cups.

Eco Mode

Can be programmed to enter stand-by mode, improving energy efficiency.

Hot Water Economizer

Enables you to fine-tune the tap water temperature for tea.

USB

Making it possible to update the firmware.

Cup Warmer - 2 and 3 Gr, Special Order

Maintain espresso and cappuccino cups evenly heated at a proper temperature.

Personalized Colors - Special Order

Customizable colors based on the RAL color system, on request.

Specifications	1 group	2 groups	3 groups
Height (cm/in)	77,5 / 30,5	77,5 / 30,5	77,5 / 30,5
Width (cm/in)	52 / 20,5	80 / 31,5	102 / 40
Depth (cm/in)	64,5 / 25,5	64,5 / 25,5	64,5 / 25,5
Weight (kg/lbs)	68 / 150	99 / 218	129 / 284
Voltage	-	200V Single Phase	200V Single Phase
	220V-240V Single Phase	220V Single / 3 Phase	220V Single / 3 Phase
	-	380V 3 Phase	380V 3 Phase
Wattage (min)	2300	4520	5120
Wattage (max)	-	5670	7800
Coffee Boiler Capacity (liters)	1,3	2 x 1,3	3 x 1,3
Steam Boiler Capacity (liters)	3,5	8,2	11,8